

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11830657	(high temperature fuel cell) or reformer with (piezoelectric sensor) with coating near5 resonator with (redox state)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:46
L2	4	(oxidizable or reducible adj1 coat \$4) near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:49
L3	741	(oxide or reducible adj1 coat\$4) near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:50
L4	596	1 and 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:51
L5	2809371	(reformer or fuel cell)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:51
L6	45	4 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:52
L7	243717	(anode gas space) with (fuell cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:56

L8	4977	(resonator surface) with (fluid or flow) with (anode gas space) with (fuel cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:57
L9	98	(piezoelectric sensor) with (resonator surface) with (fluid or flow) with (anode gas space) with (fuel cell or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:58
L10	2	3 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:58
L11	2003998	(oxide or reducible adj1 coat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:59
L12	37	9 and 11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:59
L13	0	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 stae same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L14	3	(measur\$4 or determin\$4 or sens\$4 or detect\$4) near5 redox adj2 state same anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L15	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

L16	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L17	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L18	5	"3879992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L19	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L20	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L21	1	10/549632	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L22	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L23	1	piezoelectric adj3 (sens\$4 or detect \$4) near\$5 redox adj1 state	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

L24	2	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L25	6	piezoelectric adj3 (sens\$4 or detect \$4) same redox	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L26	1	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (temperture or pressure)	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L27	34	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L28	39	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L29	41	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01

L30	7	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas) near5 (temperature or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L31	8	piezoelectric adj1 (sens\$4 or detect \$4) near5 coat\$4 near5 (measur\$4 or sens\$4 or detect \$4) same (resonance or frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L32	2	10/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L33	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L34	2	"6081481".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L35	5	("6081481").URPN.	USPAT	OR	ON	2008/04/29 17:01
L36	0	("6862252").URPN.	USPAT	OR	ON	2008/04/29 17:01
L37	5	("6081481").URPN.	USPAT	OR	ON	2008/04/29 17:01
L38	7	("5357063" "5398217" "5563848" "6055214" "6081481" "6687189" "6738311").PN. OR ("6862252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/29 17:01

L39	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
L40	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 17:01
S1	0	(measur\$4 or determin\$4 or sens \$4 or detect\$4) near5 redox adj2 stae same (anode near5 "fuel cell" or reformer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:18
S2	3	(measur\$4 or determin\$4 or sens \$4 or detect\$4) near5 redox adj2 state same anode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:19
S3	2	"6455181".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:25
S4	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 16:26
S5	2	"6083637".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 18:52
S6	5	"3879992".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 19:03

S7	2	"6455181".pn.	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:11
S8	2	"6083637".pn.	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:12
S9	1	10/549632	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 17:12
S10	2	"5827947".pn.	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:46
S11	1	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox adj1 state	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:54
S12	2	piezoelectric adj3 (sens\$4 or detect \$4) near5 redox	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:55
S13	6	piezoelectric adj3 (sens\$4 or detect \$4) same redox	US-FGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 19:55

S14	0	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas) near5 (tempertaure or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:16
S15	33	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) near3 (resonance or frequency) same (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:17
S16	39	(surface or shear) adj1 "acoustic wave" near5 (measur\$4 or sens \$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:17
S17	41	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:18
S18	7	piezoelectric adj1 (sens\$4 or detect \$4) near5 (measur \$4 or sens\$4 or detect\$4) same (resonance or frequency) near5 (liquid or fluid or gas) near5 (temperature or pressure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:18

S19	8	piezoelectric adj1 (sens\$4 or detect \$4) near5 coat\$4 near5 (measur\$4 or sens\$4 or detect \$4) same (resonance or frequency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 13:24
S20	2	10/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:08
S21	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 16:09
S22	2	"6081481".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 19:18
S23	5	("6081481").URPN.	USPAT	OR	ON	2008/04/07 19:24
S24	0	("6862252").URPN.	USPAT	OR	ON	2008/04/07 19:30
S25	5	("6081481").URPN.	USPAT	OR	ON	2008/04/07 19:31
S26	7	("5357063" "5398217" "5563848" "6055214" "6081481" "6687189" "6738311").PN. OR ("6862252").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/07 19:37
S27	1	11/400544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/07 22:02

S28	2	"5827947".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:26
S29	11830657	(high temperature fuel cell) or reformer with (piezoelectric sensor) with coating near5 resonator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:44

4/ 29/ 2008 5:49:35 PM

C:\Documents and Settings\JSaint-Surin\My Documents\ EAST\ Workspaces\ 10549632.wsp